- 17. (Four Times Amended) A detergent and conditioning composition comprising, in a cosmetically acceptable medium, at least one anionic surfactant and a conditioning system, wherein the at least one anionic surfactant is present in an amount ranging from 4% to 50% by weight with respect to the total weight of the composition, and further wherein the conditioning system comprises at least one cationic polymer and at least one amine-comprising silicone with a weight-average molecular mass ranging from 11,000 to 25,000, wherein the amine-comprising silicone is chosen from:
 - (a) polysiloxanes corresponding to the formula (I):

in which x' and y' are integers that depend on the weight-average molecular mass, wherein the molecular mass ranges from 11,000 to 25,000, and

FINNEGAN HENDERSON FARABOW GARRETT& DUNNER LLP

1300 I Street, NW Washington, DC 20005 202.408.4000 Fax 202.408.4400 www.finnegan.com (b) polysiloxanes corresponding to the formula (II):

in which R denotes OH, x, y, and z are integers that depend on the weight-average molecular mass, and wherein the weight-average molecular mass ranges from 11,000 to 25,000.

- 35. (Thrice Amended) A process for washing and conditioning keratinous substances comprising:
 - a) wetting the keratinous substances;
- b) applying to the wetted keratinous substances an effective amount of a composition comprising, in a cosmetically acceptable medium, at least one anionic surfactant and a conditioning system, wherein the at least one anionic surfactant is present in an amount ranging from 4% to 50% by weight with respect to the total weight of the composition, and further wherein the conditioning system comprises at least one cationic polymer and at least one amine-comprising silicone with a weight-average molecular mass ranging from 11,000 to 25,000, wherein the amine-comprising silicone is chosen from:

FINNEGAN HENDERSON FARABOW GARRETT& DUNNER LLP

1300 I Street, NW Washington, DC 20005 202.408.4000 Fax 202.408.4400 www.finnegan.com (i) polysiloxanes corresponding to the formula (I):

$$HO \begin{bmatrix} CH_{3} & & & & & \\ -Si & & & & & \\ -CH_{3} & & & & & \\ -CH_{3} & & & & & \\ -CH_{2})_{3} & & & & \\ -CH_{2})_{3} & & & \\ -CH_{2})_{2} & & & \\ -CH_{2} & & & \\ -CH_{2})_{2} & & & \\ -CH_{2} & &$$

in which x' and y' are integers that depend on the weight-average molecular mass, wherein the molecular mass ranges from 11,000 to 25,000, and

(ii) polysiloxanes corresponding to the formula (II):

in which R denotes OH, x, y, and z are integers that depend on the weight-average molecular mass, and wherein the weight-average molecular mass ranges from 11,000 to 25,000; and

c) rinsing the keratinous substances with water.

FINNEGAN HENDERSON FARABOW GARRETT & DUNNER LLP

1300 I Street, NW Washington, DC 20005 202.408.4000 Fax 202.408.4400 www.finnegan.com